



MeetingEye 900


Package Contents




MeetingEye 900




(3.0m, 9.84ft)
Ethernet Cable




(1.8m, 5.91ft)
HDMI Cable x2




Power Cord
(220V)




(2.0m, 9.84ft)
Network port to DB9 cable x2




VCR11
and AAA Battery x2




Mounting ear x2



M4 screw x6




Cable Tie x5




Quick Start Guide


Optional Accessories




VCH51




(7.5m, 24.60ft)
Ethernet Cable




(0.6m, 1.97ft)
HDMI Cable



(0.6m, 1.97ft)
USB Type-C Cable



Quick Start Guide



Interface Protective
Cover

VCH51 Wired Sharing Package



Mspeaker II



Wall Mount
Bracket



Power Adapter



Silicone
Pad x2



Expansion Screw
and Machine Screw




3.5mm
Audio Cable




Quick Start Guide

Mspeaker II Package (Soundbar)



UVC84




Ethernet Cable
(7.5m, 24.60ft)




VCR20



AAA Battery x2



Power Adapter
(48V/0.7A)



Mounting Bracket
and Accessories



Cable Tie x5



Quick Start Guide



USB Cable
(7.5m, 24.60ft)




Velcro x5




Camera Lens
Privacy cover


UVC84 Package (Camera)




CM20 Package (Microphone)



CS10 Package (Speaker)



UVC86



USB Cable
(7.5m, 24.60ft)



Ethernet Cable
(7.5m, 24.60ft)



Power Adapter
(48V/0.7A)



VCR20




AAA Battery x2



Velcrox5



Cable Tie x5



Mounting Bracket
and Accessories




Quick Start Guide




Camera Lens
Privacy cover

UVC86 Package (Camera)



VCM35



Double-
sided
adhesive




RJ45 Coupler



Quick Start Guide

Cable Tie


VCM35 Package (Microphone)



CTP18



Ethernet Cable
(7.5m, 24.60ft)



Mounting Bracket
and Accessories



Screwdriver



Cable lock box



Velcro



PSE



Ethernet Cable
(3m CAT5E FTP cable)



Power
Cord

PoE Adapter (Optional)




Quick Start
Guide

Cable Lock Box


CTP18-STD Package

Installation


Mount on the Wall



Stick to the Table



Put on the Desk




Mount in a Rack

NOTE

The rack in which the MeetingEye 900 will be placed must be a 19-inch Rack compliant with IEC 60297.


1. Install the mounting ears to the sides of the MeetingEye 900.



2. Push the MeetingEye 900 into the rack, and then fix it to the rack with screws.

NOTE


Package Contents do not include screws.



Connections

Connection

Only one model of microphone is supported at the same time.



- Not included accessories requirement:
 - Display: A resolution of 1080p or higher, and equipped with an HDMI, SDI, or DVI port.
 - PC: Equipped with an HDMI or USB-C port (supporting the DP protocol).
 - PoE switch: If you use PoE to connect speakers or cameras, you need to use PoE+. When connecting a PoE switch to a Yealink CM20 or CS10, the switch needs to disable the EEE (Energy Efficient Ethernet) feature.
 - SDI/DVI Cable: A standard SDI or DVI cable.
- The ones with * are optional accessories.
- Use the Yealink original power cord (220V) to charge the endpoint only. The use of the third-party poweradapter may cause the damage to the endpoint.

Supported Accessories

For the compatible devices and the maximum number of compatible devices, please refer to [Zoom Rooms Accessories Compatibility Lists](#).